



TABLES

RA

SHOWING THE APPROXIMATE

MAGNETIC DIRECTION

AND ORDINARY RATE (AT SPRINGS & NEAPS)

OF THE

TIDAL STREAMS

IN THE DOVER STRAITS,

AND FROM

AN OFFING OF FROM 3' TO 20' OFF 27 POSITIONS

ON THE

SOUTH COAST OF ENGLAND,

FOR EVERY HALF-HOUR OF THE TIDE AT DOVER;

ALSO

A TABLE TO BE USED FOR CORRECTION, TO BE APPLIED TO SOUNDINGS.

COMPILED BY

S. H. BROWN,

Trinity Youse Pilot, Fondon.

LONDON: PUBLISHED BY J. D. POTTER, Sole Agent for the Sale of the Admiralty Charts, 31, POULTRY, E.C., AND 11, KING STREET, TOWER HILL, E. 1894.

PRICE ONE SHILLING.

Gift of C. A. Kofoid

TABLES

SHOWING THE APPROXIMATE

MAGNETIC DIRECTION

AND ORDINARY RATE (AT SPRINGS & NEAPS)

OF THE

TIDAL STREAMS

IN THE DOVER STRAITS,

AND FROM

AN OFFING OF FROM 3' TO 20' OFF 27 POSITIONS

ON THE

SOUTH COAST OF ENGLAND,

FOR EVERY HALF-HOUR OF THE TIDE AT DOVER;

ALSO

A TABLE TO BE USED FOR CORRECTION, TO BE APPLIED TO SOUNDINGS.

COMPILED BY

S. H. BROWN,

Trinity Youse Pilot, Fondon.

LONDON :

PUBLISHED BY J. D. POTTER, Sole Agent for the Sale of the Admiralty Charts, 31, POULTRY, E.C., AND 11, KING STREET, TOWER HILL, E.

1894.

PRICE ONE SHILLING.

Digitized by the Internet Archive in 2007 with funding from Microsoft Corporation

http://www.archive.org/details/tablesshowingapp00browrich

VK 639 B75

REMARKS AND GENERAL DIRECTIONS.

From Beachy Head to Land's End the GENERAL direction is given, and the rate marked in the columns is the rate at Springs and Neaps as a rule; but this rule is subject to alteration by several disturbing causes such as winds, barometrical pressure, etc.

The velocity is worked out by placing the greatest strength at from 2 to 4 hours after High Water, and also from 2 to 4 hours before High Water, and then graduated down to Slack Water.

At page 11 will be found Table B, for finding the Height of the Tide at any intermediate hour between High and Low Water, which correction is to be applied to Soundings.

Anywhere between the Lizard and Portland the time of High Water (full and change) is from 5 to 6 o'clock. Whilst East of St. Catherine's it is everywhere High Water between 11 and 12 o'clock, yet in the fairway of the Channel from Start Point to Beachy Head the Tidal Stream turns everywhere almost simultaneously with the time of High and Low Water at Dover; *i.e.*, at about 11 hours it turns Westerly, and at 5 hours it turns Easterly.

Anywhere South of the Shambles, 2' outside of St. Alban's Head, 2' South of St. Catherine's Point, or 4' to 5' South of Owers Lightship, a vessel is not materially affected by indraught on either tide.

There is generally an indraught to all Bays and Bights, and in them the stream turns earlier than in the offing, sometimes as much as two hours earlier.

Each end of Dover Strait (W. of Beachy Head and N. of North Foreland) the stream sets uniformly towards the Strait whilst the water is rising at Dover, and away from it when it is falling.

Strong winds accelerate and prolong the stream running in the same direction, retard the opposing stream, and also affect the height of tides. The atmospheric pressure also affects the tides, especially the rising and falling. AFTER HIGH WATER at DOVER.

4

	12 11	our.	Ін	our.	12 Ho	ours	2 Hours.			
NAMES OF PLACES.	DIRECTION.	RATE	DIRECTION.	RATE	DIRECTION.	RATE	DIRECTION.	RATE		
		KNOTS. TO		KNOTS. TO		KNOTS TO		KNOTS. TO		
Tongue Lt. V	NW byW	$\frac{1}{2}$ - 2 $\frac{1}{4}$	NW	$\frac{1}{2}$ - 1 $\frac{1}{2}$	NW	0—1 ¹ / ₂	N	$0 - I \frac{1}{2}$		
E. Margate Buoy	NW by N	$0 - \frac{1}{2}$	N	Slack	Ebb	Begins	ΝE	$\frac{1}{2}$ I		
No. Sd. Hd. Lt. V	N NE	1 <u>2</u> -2	N NE	$\frac{3}{4}$ - 3	N NE	13	N NE	1—3		
Elbow Buoy	N NE	1-2	N NE	$\frac{3}{4} - 3$	N NE	1-3	N NE	I—3		
E. Goodwin Lt. V	NE	1 -3	ΝE	$\frac{1}{2}-4$	ΝE	$I - 4\frac{1}{2}$	ΝE	1—5‡		
Gull Lt. V	NE 1N	$\frac{3}{4}$ - 2 $\frac{1}{4}$	NE 1N	12 ¹ / ₂	NE ¹ / ₂ N	14-24	NE ½N	I 1 3		
So. Sd. Hd. Lt. V	NE	1 1 -3	ΝE	1 3 —3	ΝE	1 3 —3	ΝE	$1\frac{3}{4}-2\frac{1}{2}$		
Off S. Foreland, 1' S SE	NE by E	1] -3	NE by E	1 <u>3</u> —3	NE by E	1 3 —3	NE by E	$1\frac{3}{4}-2\frac{1}{2}$		
Varne Lt. V	E NE	I—2	E NE	14-3	E NE	14-3	E NE	I 1 -2 1/4		
Dungeness to 15' offing	E NE	2-3	E NE	2—3	E NE	$1\frac{1}{2}$ - $2\frac{1}{2}$	E NE	I—2		
Hastings to 15' offing	E	1 <u>1</u> -1	E	$\frac{1}{2}$ — I	Slack	00	Separate	0-0		
Royal Sovereign Lt. V.	Slack	00	W	1-1-2	W	1-3	W	$\frac{3}{4}$ — I $\frac{1}{4}$		
Beachey Hd. to 15' offing	W	$0 - \frac{1}{2}$	W	$\frac{3}{4}$ 1 $\frac{1}{2}$	W	$I - I \frac{3}{4}$	W	I-2		
Brighton 3' to 15' offing	W	$0 - \frac{1}{2}$	W	I-I ³ /4	W	I—1 1	W	I—2		
Owers Lt.V. 5' to 15' offg.	W by S	0-1/2	W by S	$\frac{1}{2}$ -1 $\frac{1}{2}$	W by S	I—2	W by S	I 1/2 - 21/2		
St. Cath. bear. NW by W 8	W by N	1-2	W by N	2-3	W by N	2-4	W by N	2-4		
St Cath. bear. E by N 5'	NW by W	<u></u>	NW byW	1-2	NW byW	I—2	NW by W	2-3		
St. Catherine's 5' to 15'off	WNW	0-1	W NW	$\frac{1}{2}$ I $\frac{1}{2}$	W NW	1-2	W NW	$1\frac{1}{2}$ - $2\frac{1}{2}$		
Anvil Pt. 2' to 15' offing	W NW	$0-\frac{1}{2}$	W NW	$\frac{1}{2}$ I $\frac{1}{2}$	W NW	I-2	W NW	I 1/221/2		
Portland 2' to 15' offing	W NW	$0 - \frac{1}{2}$	W NW	$\frac{1}{2}$ I $\frac{1}{2}$	W NW)2	W NW	$1\frac{1}{2}-2\frac{1}{2}$		
Start Pt. bear.W NW 20	W	0—I	W	0-1	W	1 <u>1</u>	W	$I - I \frac{1}{2}$		
Start Pt. 4' off shore	W	I] 2 ¹ / ₂	W	11-21-21-21-21-21-21-21-21-21-21-21-21-2	- W	14-22	W	1-2		
Start Pt. 5' to 15' offing	W	0—I	W	0—1	W	1 <u>2</u> 1	W	$I - I \frac{1}{2}$		
Eddystone bear. E by N 7	W NW	4-12	W NW	4-12.	WNW	1-1	W NW	1-1-2		
Eddystone to 15' offing	W	1-1	W	1-1	W	1	W	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		
Lizard to 20' SE offing	w	<u>1</u> I	Ŵ	$\frac{1}{2}$ I	W	1-1	W NW	$\frac{1}{2} \rightarrow I$		
Lands End to 20' offing	W	4-12	W by N	4-1/2	W NW	Slack	Turning	0-0		

AFTER HIGH WATER at DOVER.

	21 H	ours.	Зн	ours.	31 H	lours.	4 Hours.			
NAMES OF PLACES	KNOTS.		DIRECTION	RATE IN KNOTS.	DIRECTION.	RATE IN KNOTS	DIRECTION.	RATE IN KNOTS.		
Tongue Lt. V	NE by E	$\begin{bmatrix} TO \\ O - I \frac{1}{2} \end{bmatrix}$	ENE	$\begin{array}{c c} TO \\ \frac{1}{2} - I \frac{5}{4} \end{array}$	E by N	то 1-2	E by N	$\begin{array}{c} \text{TO} \\ \text{I} - 2\frac{1}{2} \end{array}$		
E. Margate Buoy	E NE	$\frac{1}{2}$ - I $\frac{1}{2}$	E	3-2	E SE	I-2	SE by E	I-21		
No. Sd. Hd. Lt. V	N NE	I-3	N NE	I-23	N NE	I2	N NE	1-13		
Elbow Buoy	N NE	I-3	N NE	I-23	N NE	1-2	N NE	1-13		
E. Goodwin Lt. V	NE	I-44	ΝE	I-41	ΝE	I-31	ΝE	I-3‡		
Gull Lt. V	NE ½N	11-3	NE 1N	1 1 - 23	NE ¹ / ₂ N	3-21	NE 1N	} —2		
So. Sd. Hd. Lt. V	NE	I-2	ΝE	I—2	E NE	$\frac{1}{2}$ —I	E NE	12-I1		
Off S. Foreland, 1' S SE	NE by E	1-2	NE by E	I-2	NE by E	1 <u>1</u> I	W SW	Turning		
Varne Lt. V	E NE	1-2	E NE	$\frac{3}{4} - 1\frac{1}{2}$	E NE	$\frac{1}{2}$ —I	E NE	0—I		
Dungeness to 15' offing	ENE	1 - I	ENE	Slack	W SW	begins	W SW	$\frac{1}{2}$ I		
Hastings to 15' offing	Slack	00	W	1 <u>1</u> _I	W	$\frac{1}{2}$ I	W	$\frac{3}{4}$ I $\frac{1}{4}$		
Royal Sovereign Lt. V.	W	$\frac{3}{4}$ - 1 $\frac{1}{2}$	W	<u>3</u> _1 <u>3</u>	W	$\frac{3}{4}$ - 1 $\frac{1}{2}$	W	$\frac{3}{4}$ - 1 $\frac{1}{2}$		
Beachey Hd. to 15' offing	W	I—2	W	I-2	W	I2	W	I—2		
Brighton 3' to 15' offing	W	I—2	W	I-2	W	I—I ³	W	í—1 <u>3</u>		
Owers Lt. V. 5' to 15' offg.	W by S	$1\frac{1}{2}-2\frac{1}{2}$	W by S	$1\frac{1}{2}-2\frac{1}{2}$	W by S	I-I12	W by S	$II \frac{1}{2}$		
St. Cath. bear. NW by W 8'	W by N	3-5	W by N	3-5	W by N	2—4	W by N	ı—3		
St Cath. bear. E by N 5'	NW by W	2-4	NWbyW	2-4	NW by W	2—4	NW by W	2-3		
St. Catherine's 5' to 15'off.	W NW	$1\frac{1}{2}-2\frac{1}{2}$	W NW	$I\frac{1}{2}-2\frac{1}{2}$	W NW	1—1 1	W NW	I-11		
Anvil Pt. 2' to 15' offing	W NW	$1\frac{1}{2}-2\frac{1}{2}$	W NW	$1\frac{1}{2}-2\frac{1}{2}$	W NW	I	W NW	I		
Portland 2' to 15' offing	W NW	$1\frac{1}{2}-2\frac{1}{2}$	W NW	$1\frac{1}{2}-2\frac{1}{2}$	W NW	1-1 ¹ / ₂	W NW	II ¹ /2		
Start Pt. bear. W NW 20'	W	$I - I \frac{1}{2}$	W	J-112	W	I-1 ¹ / ₂	W	1/2I		
Start Pt. 4' off shore	W	I-2	W	I-2	W	I-2	W	<u>1</u> _1		
Start Pt. 5' to 15' offing	W	I-11/2	W	I—I ¹ / ₂	W	1-11	W	<u>1</u> <u>−</u> I		
Eddystone bear. E by N 7'	W NW	Weak	E SE	begins	E SE	Weak	E SE	1-1		
Eddystone to 15' offing	W	1 1 - <u>1</u> 2	W by S	4	SW	Weak	Slack	00		
Lizard to 20' SE offing	W	1-1-2	W	$\frac{1}{4} - \frac{1}{2}$	W	Weak	Slack	0-0		
Lands End to 20' offing	NW	Slack	N	1-1-2	NE	4-2	E	1-12		

AFTER HIGH WATER at DOVER.

	411 H	ours.	5 H	ourș.	5 ¹ ₂ H	ours.	6 на	ours.
NAMES OF PLACES.	DIRECTĮON.	RATE IN KNOTS.	DIRECTION,	KNOTS.	DIRECTION.	RATE IN KNOTS.	DIRECTION.	RATE IN KNOTS.
Tongue Lt. V	Е	то 1—3	Е	то 1—2 <u>1</u>	E by S	$TO = \frac{3}{4} - 2 \frac{1}{4}$	E by S	TO 3 4 2
E. Margate Buoy	SE	I—2	SE	<u>3</u> <u>4</u> 2	S SE	$\frac{1}{2}$ I $\frac{1}{2}$	S SE	1 <u>1</u> I
No. Sd. Hd. Lt. V	N NE	$\frac{1}{2}$ I $\frac{1}{2}$	N'NE	<u>↓</u> _I	Slack	00	SSW	↓ —-1 ↓
Elbow Buoy	N NE	$\frac{1}{2}$ I $\frac{1}{2}$	N NE	14I	Slack	00	S SW	4 −−− I 4
E. Goodwin Lt. V	N E	1 <u>2</u> 3	ΝE	U—2	Slack	00	SW	0 I 🚦
Gull Lt. V	NE ½N	<u></u> }−−1	Turning	0—0	SW	4I	SW	$\frac{1}{2}$ - $1\frac{1}{2}$
So. Sd. Hd. Lt. V	Slack	00	SSW	$\frac{1}{4} - \frac{3}{4}$	SW	$\frac{1}{2}$ I	SW	II ‡
Off S. Foreland, 1' S SE	W SW	$\frac{1}{2} \frac{3}{4}$	WSW	1 2 3 4	W SW	<u>1</u> I	W SW	I—I ³
Varne Lt. V	Turning	00	W SW	$0 - \frac{1}{2}$	WSW	1 2 I 1	W SW	<u></u> 1 <u></u> 1 <u></u> 1 <u></u> 1
Dungeness to 15' offing	W SW	1/2 I	W SW	I—2	W SW	1 <u>1</u> -2 <u>*</u>	w sw	2—3
Hastings to 15' offing	W	I—2	W	I—2	W	$\frac{3}{4}$ I $\frac{1}{2}$	W	1 <u>-</u> }
Royal Sovereign Lt. V.	W	$\frac{3}{4}$ I $\frac{1}{4}$	W	$\frac{3}{4}$ — I $\frac{1}{4}$	W	1 <u>1</u> T	W	0
Beachey Hd. to 15' offing	W	I	W	$\frac{3}{4}$ - I $\frac{1}{2}$	W	$0 - \frac{1}{2}$	E	begins
Brighton 3' to 15' offing	W	1 <u>-</u> 1	W	$\frac{1}{2}$ —I	W	$\frac{1}{4} - \frac{3}{4}$	W	Slack
Owers Lt. V. 5' to 15' offg.	W by S	1I	W by S	$\frac{1}{2}$ —I	W by S	Slack	E	begins
St. Cath. bear. NW by W 8	W by N	I—2	Slack	0—0	W	finishe	E	begins
St Cath. bear. E by N 5	NW by W	I2	NWbyW	<u>1</u> I	Slack	00	SE by E	begins
St. Catherine's 5' to 15'off.	WNW	<u>↓</u> I	WNW	<u>1</u> I	Slack	0—0	E	begins
Anvil Pt. 2' to 15' offing	W NW	1 <u>1</u> I	W NW	1/2I	Slack	0—0	Е	begins
Portland 2' to 15' offing	W NW	<u>1</u> I	W NW	$\frac{1}{2}$ I	Slack	0—0	E	begins
Start Pt. bear. W NW 20'	W	0—I	W	Weak	Slack	0-0	Ę	begins
Start Pt. 4' off shore	W	Slack	Е	Making	Е	12	E	I—2
Start Pt. 5' to 15' offing	W	0—I	W	Weak	Slack	00	E	begins
Eddystone bear. E by N 7	E SE	1-1-2	E SE	$\frac{1}{4}$	E SE	42	E SE	<u>†</u> — <u>†</u>
Eddystone, to 15' offing	Turning	00	SE	Weak	E SE		E SE	1 1
Lizard to 20' SE offing	E	Weak	E	$\frac{1}{4}$ $\frac{1}{2}$	Е	1-12	Ē	1 <u>1</u> 2
Lands End to 20' offing.	E	1 <u>-</u> I	E	1I	E	1 <u>1</u> -1	E	$\frac{1}{2}$ I

BEFORE HIGH WATER at DOVER.

7

	5 ¹ ₂ H	ours.	5 H	ours.	4 ¹ ₂ H	ours.	4 Hours.			
NAMES OF PLACES.	DIRECTION.	RATE IN KNOTS.	DIRECTION.	RATE IN KNOTS.	DIRECTION.	RATE IN KNOTS.	DIRECTION.	RATE IN KNOTS.		
Tongue Lt. V	E SE	TO $\frac{1}{3}$ - 2	E SE	TO $\frac{1}{2}$ $- I \frac{1}{2}$	SE	ТО 0—11	S	TO $0-\frac{1}{2}$		
E. Margate Buoy	S by E	1 <u>2</u> -I	S by E	1-1	S	Slack	S by W	1 <u>1</u> I		
No. Sd. Hd. Lt. V	SSW	<u>1</u> I	S SW	3-21	S SW	I-21	S SW	1-3		
Elbow Buoy	S SW	<u>1</u> I	S SW	3-21 1-21	S SW	$1 - 2\frac{1}{2}$	SSW	I3		
E. Goodwin Lt. V	SW	1 <u>-</u> 1	SW	$\frac{1}{2}$ 23	SW	1 —4	SW	14-54		
Gull Lt. V	SW	1 <u>2</u> 22	$SW \frac{1}{2}W$	I-23	SW 12W	1 —4	SW ½W	14-3		
So. Sd. Hd. Lt. V	SW	$1\frac{1}{2}-2$	SW	I 1/2-2	SW	1 - 2 - 2 - 2 - 2 2 2	SW	I‡-2‡		
Off S. Foreland, 1' S SE	W SW	1 <u>1</u> _2	W SW	$1\frac{1}{2}$ 2	W SW	I]	W SW	11-21		
Varne Lt. V	WSW	$\frac{1}{2}$ I $\frac{1}{2}$	W SW	3-21	W SW	3-2 ±	W SW	3-2		
Dungeness to 15' offing	W SW	23	W SW	2-3	W SW	$1\frac{1}{2}$ $2\frac{1}{2}$	W SW	I—2		
Hastings to 15' offing	W	$\frac{1}{2}$ I	W	<u>1</u> I	SW	Easy	S	Meeting		
Royal Sovereign Lt. V.	Slack	00	Е	4	Е	1 I 1 -1	Е	I-2‡		
Beachey Hd. to 15' offing	E	$0 - \frac{1}{2}$	E	$\frac{3}{4}$ I $\frac{1}{2}$	Е	I—1 ³ / ₄	Е	I—2		
Brighton 3' to 15' offing	E by S	0-1	E by S	$\frac{3}{4}$ I $\frac{1}{2}$	E by S	I—1 ³ 4	E by S	I—2		
Owers Lt. V. 5' to 15' offg.	E by N	0-1-2	E by N	$\frac{1}{2}$ $-1\frac{1}{2}$	E by N	$\frac{1}{2}$ I $\frac{1}{2}$	E by N	$1\frac{1}{2}-2\frac{1}{2}$		
St. Cath. bear. NW by W 8'	Е	I—2	Е	2—4	Е	3—5	Е	3-5		
St Cath. bear. E by N 5'	SE by E	$\frac{1}{2}$ I	SE by E	I—2	SE by E	I—3	SE by E	2—4		
St. Catherine's 5' to 15'off.	E SE	0— <u>‡</u>	E SE	$\frac{1}{2}$ I $\frac{1}{2}$	E SE	$\frac{1}{2}$ I $\frac{1}{2}$	E SE	$1\frac{1}{2}$ $-2\frac{1}{2}$		
Anvil Pt. 2' to 15' offing	E SE	0-1-2	E SE	$\frac{1}{2}$ I $\frac{1}{2}$	E SE	$\frac{1}{2}$ - I $\frac{1}{2}$	E SE	$1\frac{1}{2}$ - $2\frac{1}{2}$		
Portland 2' to 15' offing	E SE	0-1/2	E SE	1-11	E SE	$\frac{1}{2}$ I $\frac{1}{2}$	E SE	$1\frac{1}{2}-2\frac{1}{2}$		
Start Pt. bear.W NW 20'	Е	0-1/2	E	<u>1</u> I	Е	$\frac{1}{2}$ —I	Е	1 I		
Start Pt. 4' off shore	Е	I <u>-</u> 2	E	I—2	Е	$I - 2\frac{1}{2}$	E	$I - 2\frac{1}{2}$		
Start Pt. 5' to 15' offing	E	$0 - \frac{1}{2}$	Е	0-12	E	<u>∳</u> —-I	Е	<u>1</u> I		
Eddystone bear. E by N 7'	E SE	1-1-1-2	E SE	4-1-2	E SE	4-1-2	E SE	1-1-2		
Eddystone to 15' offing	E	4-1-1-2	E	1-1-2	Е	4-1-1-1-	Е	1-1-		
Lizard to 20' SE offing	E*	1 2I	Е	1 2 	E	1-1	E by S	1		
Lands End to 20' offing	E by S	1-1 2	E by S	1-1-2	E by S	$\frac{1}{2}$ $\frac{1}{2}$	Slack	0-0		

BEFORE HIGH WATER at DOVER.

Nume of Deves	31 H	ours.	Зн	ours.	21 H	ours.	2 Hours.		
NAMES OF PLACES.	DIRECTION.	RATE IN KNOTS.	DIRECTION.	RATE IN KNOTS.	DIRECTION.	RATE IN KNOTS.	DIRECTION.	RATE IN KNOTS.	
Tongue Lt. V	$. W SW \begin{vmatrix} TO \\ O - I_{*}^{\frac{1}{4}} \end{vmatrix} V$		W_SW	$\begin{array}{c} \text{TO} \\ \frac{1}{2} & \text{I} \frac{1}{2} \end{array}$	W by S	TO $\frac{3}{4}$ - 2	Ŵ by S	TO $\frac{3}{4}-2$	
E. Margate Buoy	SSW	1/2	SW	<u>3</u> -2	W SW	I—2	W	$I - 2\frac{1}{2}$	
No. Sd. Hd. Lt. V	S SW	1-3	S SW	I-24	S SW	$\frac{1}{2}$ - 2	SSW	1-2	
Elbow Buoy	S SW	1—3	S SW	1-2 ¹ / ₄	S SW	$\frac{1}{2}$ - 2	S SW	4-2	
E. Goodwin Lt. V	SW	11-51	SW	I 1 _4	SW	14-4	SW	1-31/2	
Gull Lt. V	$SW \frac{1}{2}W$	I] 3	$SW \frac{1}{2}W$	$1\frac{1}{4}-2\frac{3}{4}$	$SW\frac{1}{2}W$	$1 - 2\frac{1}{2}$	SW ½W	$\frac{1}{4}$ - 2 $\frac{1}{2}$	
So. Sd. Hd. Lt. V	SW	I—2	SWbyW	I-2	W by S	1 <u>2</u> —11	W by N	<u></u> 4−1 <u>4</u>	
Off S. Foreland, 1' S SE	W SW	I—2	W SW	I—2	W SW	$\frac{1}{2}$ I $\frac{1}{2}$	W SW	1 I,1	
Varne Lt. V	WSW	<u>1</u> _1	·W SW	$\frac{1}{2}$ $\frac{3}{4}$	Turning	00	E NE	1-3	
Dungeness to 15' offing	W SW	I—2	W SW	$\frac{1}{2}$ I	W SW	$\frac{1}{2}$ —I	E NE	begins	
Hastings to 15' offing	SE	Easy	E SE	<u>∔</u> —I <u>∔</u>	·E	11 ¹ /2	Е	I—2	
Royal Sovereign Lt. V.	E	$1 - 2\frac{1}{2}$	Е	I3	E	1-3	Е	$1 - 2\frac{1}{2}$	
Beachey Hd. to 15' offing	E	I2	Е	I—2	Е	I-2	Е	I—2	
Brighton 3' to 15' offing	E by S	I—2	E by S	I—2	E by S	1-2	E by S	I-2	
Owers Lt.V. 5' to 15' offg.	E by N	$1\frac{1}{2}$ $2\frac{1}{2}$	E by N $1\frac{1}{2} - 2\frac{1}{2}$ E by]	E by N	$\frac{1}{2} - I \frac{1}{2}$	E by N	$\frac{1}{2} - I \frac{1}{2}$		
St. Cath. bear. NW by W8	E	35	Е	3—5	Е	2—4	Е	1—3	
St Cath. bear. E by N 5'	SE by E	2—4	SE by E	2-4	SE by E	2—4	SE by E	2-3	
St. Catherine's 5' to 15'off.	E SE	$1\frac{1}{2}$ $2\frac{1}{2}$	E SE	$1\frac{1}{2}-2\frac{1}{2}$	E SE	$\frac{1}{2}$ -1 $\frac{1}{2}$	E SE .	$\frac{1}{2}$ I $\frac{1}{2}$	
Anvil Pt. 2' to 15' offing	E SE	$1\frac{1}{2}$ $2\frac{1}{2}$	E SE	$1\frac{1}{2}$ - $2\frac{1}{2}$	E SE	$\frac{1}{2} - I \frac{1}{2}$	E SE	$\frac{1}{2}$ — I $\frac{1}{2}$	
Portland 2' to 15' offing	E SE	$1\frac{1}{2}-2\frac{1}{2}$	E SE	$1\frac{1}{2}-2\frac{1}{2}$	E SE	$\frac{1}{2}$ - $1\frac{1}{2}$	E SE	$\frac{1}{2}$ - I $\frac{1}{2}$	
Start Pt. bear.W NW 20'	E ·	$I - I \frac{1}{2}$. Е	$I - I \frac{1}{2}$	Е	II ¹ /2	E	$I - I \frac{1}{2}$	
Start Pt. 4' off shore	Е	I2 ¹ / ₂	, E	1-2	E	Weak	W	makes	
Start Pt. 5' to 15' offing	Е	$\frac{1}{2}$ — I	Ε.	$\frac{1}{2}$ —I	Е	$\frac{1}{2}$ —I	E	$\frac{1}{2}$ —I	
Eddystone bear. E by N 7	E SE	Weak	Slack	00	W NW	Weak	WNW	1 <u>1</u> <u>1</u>	
Eddystone to 15' offing	E Weak S		Slack	00	Slack	00	W	begins	
Lizard to 20' SE offing	E by S Weak S		Slack	0—0	Slack	00	W	weak	
Lands End to 26' offing	Slack	00	Turning	00	W by N	Weak	W by N	$\frac{1}{4} - \frac{1}{2}$	

BEFORE HIGH WATER at DOVER.

	1 ¹ / ₂ Ho	urs.	1 на	our.	1 Ho	our.	At High Water. DOVER.			
NAMES OF PLACES.	DIRECTION.	RATE IN KNOTS.	DIRECTION.	RATE IN KNOTS.	DIRECTION.	RATE IN KNOTS	DIRECTION.	RATE IN KNOTS.		
Tongue Lt. V	W	то 1—2	W	TO $I - 2\frac{1}{2}$	W NW	то 1—3	W NW	$\frac{TO}{\frac{3}{4}-2\frac{1}{2}}$		
E. Margate Buoy	W by N	I—2	W NW	₹ <u>-</u> 2	NW by W	$\frac{1}{3} - 1\frac{1}{2}$	NW	$\frac{1}{2}$ —I		
No. Sd. Hd. Lt. V	S SW	∔ —ı	Turning	0—0	N NE	$\frac{1}{2} - I$	N NE	1-11		
Elbow Buoy	SSW	<u>∔</u> —1	Turning	00	N NE	} <u>}</u> −1	N NE	$\frac{1}{2}$ - 1 $\frac{3}{4}$		
E. Goodwin Lt. V	SW	$\frac{1}{2}$ - 2 $\frac{1}{4}$	SW	0-2	Turning	0-0	NE	$0-2\frac{3}{4}$		
Gull Lt. V	Turning	00	NE ½N	4-2	NE IN	1 <u>4</u> -2	NE ½N	1 <u>1</u> -2 °		
So. Sd. Hd. Lt. V	Turning	o—o	N NE	3 <u>-</u> 1	NE by N	I— 2	NE	$1\frac{1}{2}-2\frac{3}{4}$		
Off S. Foreland, 1' S SE	E Begins	00	E	3 <u>4</u> I	E	I2	NE by E	$1\frac{1}{2}-2\frac{3}{4}$		
Varne Lt. V	E NE	$\frac{1}{2}$ —I	E NE	3-14	E NE	1-14	E NE	I-I‡		
Dungeness to 15' offing	ENE	$\frac{1}{2}$ — I	E NE	1-2	E NE	$1\frac{1}{2}-2\frac{1}{2}$	E NE	2-3		
Hastings to 15' offing	Е	E 1-2		1-11	E	3 <u>4</u> -14	E	<u>8</u> _1‡		
Royal Sovereign Lt. V.	E	1-2	Е	3-13	E	$\frac{1}{2} - \frac{3}{4}$	E	1-3-4		
Beachey Hd. to 15' offing	E	1—1 ³	E	3-11	E	$0 - \frac{1}{2}$	W	begins		
Brighton 3' to 15' offing	E by S	1-13	E by S	$\frac{3}{4} - 1\frac{1}{2}$ E		Slack	Slack	0—0		
Owers Lt. V. 5' to 15' offg.	E by N	$\frac{1}{2}$ —I	E by N	$\frac{1}{2}$ I	Slack	0-0	W	begins		
St. Cath. bear. NW by W 8'	E	1-2	E	Weak	Slack	0—0	W by N	1-I		
St Cath. bear. E by N 5'	SE by E	I2	SE by E	$\frac{1}{2}$ —1	Slack	00	N W by W	begins		
St. Catherine's 5' to 15'off.	ESE	1-1	E SE	<u>1</u> —'I	Slack	0-0	W	begins		
Anvil Pt. 2' to 15' offing	ESE	1-1-I	E SE	$\frac{1}{2}$ —I	Slack	00	W	begins		
Portland 2' to 15' offing	ESE	<u>1</u> I	E SE	1 <u>1</u> -1	Slack	0—0	W	begins		
Start Pt. bear.W NW 20'	E	<u>1</u> _1	E	1 - I	Slack	00	W	begins		
Start Pt. 4' off shore	W	I-2	W	I-2	W	1-2	W	11-21		
Start Pt. 5' to 15' offing	E	$\frac{1}{2}-1$	E	0-1	Slack	00	W	begins		
Eddystone bear. E by N 7	WNW	1-1	W NW	1-1	WNW	1-1-2	WNW	1-1-2		
Eddystone to 15' offing	W	1-1-2	W	1-1-2	W	1-1-2	W	1-1		
Lizard to 20' SE offing	W	1-1-2	W	1-1	W	1-1	W	<u>∔</u> —1		
Lands End to 20' offing	W by S	1-1-2	W by S	$\frac{1}{2}$ -1	W	$\frac{1}{2}$ —I	w	$\frac{1}{2}-1$		

CORRECTION FOR SOUNDINGS.

To DOVER RISE OF TIDE-FULL & CHANGE.								
	1000	DU Cide		Nume on Maumon				
				PLACE.	SPRINGS. NEAPS.			
Tongue Lt. V	+	н. О	м. 38	Margate	FEET. FEET. 15 13			
E. Margate By	+	0	38	Margate	15 13			
No. Sd. Hd. Lt	+	0	32	Ramsgate	15 12			
Elbow By	+	0	32	Ramsgate	15 12			
E. Goodwin Lt	+	0	32	Ramsgate	15 12			
Gull Lt	+	0	32	Ramsgate	15 12			
So. Sd. Hd	-		0	Dover '	19 15			
So. Foreland	-		0	Dover	19 15			
Varne Lt	-	0	5	Folkestone	20 16			
Dungeness	_	0	27	Dungeness	22 19			
Hastings	-	0	19	Hastings	24 17			
Royl. Sov. Lt			0	Hastings	24 17			
Beachy Hd	+	0	8	Beachy Hd	• 20 15			
Brighton	+	0	3	Newhaven	20 15			
Owers Lt., V			0	Littlehampton	16 12			
St. Catherines	-	0	52	Atherfield Pt	8 7			
St. Catherines	-	0	52	Atherfield Pt	8 7			
St. Catherines		0	52	Atherfield	8 7			
Anvil Pt	-	3	0	Needles	7 5			
Portland	-	4	37	Portland	ģ 6			
Start Pt. WNW 20'	-	5	4	Start Pt	15 11			
Start Pt. 4' off	-	5	32	Start Pt	15 11			
Start Pt. 5' to 15'	-	5	32	Start Pt	15 11			
Eddystone W by N 7'		6	0	Bigbury Bay	16 11			
Eddystone 5' to 15'	-	6	0	Eddystone	16 12			
Lizard	-	6	12	Lizard	14 10			
Land's End	-	6	42	Penzance	16 72			

TABLE	BFor finding	the Height of	the Tide at any	intermediate hour between
		High and	Low Water.	

II

t above half mean level the Sea.								T	IM	E	FR	OM	: 1	HIG	H	W	A!	rei	R .							
bove l rean le e Sea		Μ.	11.	M.	11.	M. 1	н.	м.	н.	M.	н.	M .		M -				м.		м.	11.	M.	H.	м.	11.	
ht ab	0	00	0	30	I	0	I	30	2	0	2	30	3	0	3	30	4	0	4	30	5	0	5	30	6	0
Height : tide or r						AD	D.											su	вт	RA	CT	•				
Feet.	ft	in.	ft.	in.	ft.	in.	ft.	in.	ft.	in.	ft.	in.	ft.	in.	ft.	in.	ft.	in.	ft.	in.	ft.	in.	ft.	in.	ft.	in.
3	3	0	2	II	2	7	2	I	I	6	0	9	0	0	0	9	I	6	2	I	2	7	2	II	3	0
4	4	0	3	10	3	6	2	10	2	0	I	0	0	0	I	0	2	0	2	10	3	6	3	10	4	0
5	5	0	4	10	4	4	3	6	2	6	I	3	0	0	I	3	2	6	3	6	4	4	4	10	5	0
6	6	0	5	IO	5	2	4	3	3	0	I	7	0	0	I	7	3	0	4	3	5	2	5	10	6	0
7	7	0	6	9	6	I	4	II	3	6	I	10	0	0	I	10	3	6	4	II	6	I	6	9	7	0
8	8	0	7	9	6	II	5	8	4	0	2	I	0	0	2	I	4	0	5	8	6	II	7	9	8	0
9	9	0	8	8	7	9	6	- 4	4	6	2	4	0	0	2	4	4	6	6	4	7	9	8	8	9	0
IO	IO	0	9	8	8	8	7	1	5	0	2	7	0	0	2	7	5	0	7	I	8	8	9	- 8	ιo	0
11.	II	0	10	8	9	6	7	9	5	6	2	10	0	0	2	10	5	6	7	9	9	6	10	8	II	0
12	12	0	II	7	10	5	8	6	6	0	3	I	0	0	3	I	6	0	8	6	10	5	11	7	12	0
13	13	o	12	7	II	3	9	2	6	6	3	4	0	0	3	4	6	6	9	2	II		12	7	13	0
14	14	0	13	6	12	I	9	II	7	0	3	7		0	3	7	7	0	9	II	I 2	2	13	6	14	0

RULE .- Find the time of High Water at the Ship by applying the corrections of the nearest place according to the sign, making Dover the standard Port of reference and using Greenwich mean time.

From the *height* of the rise of tide at the nearest place to the Ship (deciding whether it be Spring Tide or Neap, or something between the two), SUBTRACT half the height of the Spring Tide at the place. The remainder will be the Height above Half-tide, with which enter Table B, 1st column, and under Time from High Water take out the corresponding correction, and, as directed, add it to or subtract it from half the height of Spring Tide at the place. The result will be the approximate Height of the Tide, at that time, above ordinary Low Water Spring Tide soundings marked on the Channel Charts, and to which sounding the correction must be added.

EXAMPLES.

Required—The Correction off the Eddystone at 2 o'clock Greenwich mean time.
HRS. MIN. HRS. MIN.
H.W. at Dover (say) 6 o Mean time at Ship 2 o
Correction for Eddystone6 o Time of H.W. at Ship o o
Time of H.W. at Ship 0 0 Time from H.W 2 0
Time from H.W. at Ship 0 0 Time from H.W 2 0
RISE OF TIDE AT THE NEAREST PLACE (p. 10) NEAPS 12 FT.
FT. IN.
Height of Rise of Tide at nearest place 12 o
Half the height of Spring Tide (16 ft.) $\dots \dots \dots$
Ist column of Table B and under
2 hours from H.W
Half the height of Spring Tide (16)
10 0 Correction to be added to the
sounding marked on the Chart,
Required-The Correction off Beachy Head at 1 o'clock Greenwich mean time,
IIRS. MIN. HRS. MIN.
H.W. at Dover (say) II o Mean time at Ship I o
Correction for Beachy (p. 10) + 0 8 Time of H.W. at Ship11 8
Time of H.W. at Ship II 8 Time from H.W I 52
PICE OF THE AT THE NEADER THAT () ONWING OF
RISE OF TIDE AT THE NEAREST PLACE (p. 10) SPRINGS 20 FT.
Height of Rise of Tide at nearest place 20 0
Half the height of Spring Tide (20 ft.)10 0
1st column of Table B and under 10 0 height above Half-tide. 2 hours from H.W gives Correction + 5 0
2 hours from H.W gives Correction + 5 o
15 0 This being the Correction to add to the
sounding marked on the Chart.



ADMIRALTY CHARTS.

THE LATEST EDITIONS OF CHARTS, PLANS, AND SAILING DIRECTIONS PUBLISHED BY THE ADMIRALTY CAN BE OBTAINED FROM

-----J. D. POTTER,-----

SOLE AGENT FOR THE SALE OF THE ADMIRALTY CHARTS, BY APPOINTMENT OF THE LORDS COMMISSIONERS OF THE ADMIRALTY,

31, POULTRY, E.C.,

-AND-

11, KING STREET, TOWER HILL, E., LONDON.

Official Catalogue (corrected annually to 31st December) of Admiralty Charts, Plans, and Sailing Directions, price 1/-

Following the publication of the Catalogue, a Bi-monthly List is printed of additional Charts and Sailing Directions issued from the Hydrographic Department, price 3d.

NOTICE.—For the early information and convenience of Shipowners, Captains, and others, all NEW ADMIRALTY CHARTS that may be published from time to time are noted every Monday in the "Shipping Gazette and Lloyd's List," on page 7; in the "Shipping Gazette and Lloyd's List Weekly Summary," every Friday, on page 1; and in the "Lloyd's Weekly Shipping Index," every Friday, on page 3 of eover.

THE NEW AND CORRECTED ADMIRALTY CHARTS ARE ALSO NOTED IN THE FOLLOWING MONTHLY JOURNALS:-

The Nautical Magazine The Geographical Journal The Shipping World (published in London.)

The Steamship

(published in Leith.)

Copies of the Charts can be obtained by applying to J. D. POTTER.

LIST OF NAUTICAL WORKS PUBLISHED BY

J. D. POTTER.

LIST OF NAUTICAL WORKS		
Admiralty Procedure against Merchant Ships and Cargoes, &c., in the High Court of Justice and in County Courts, showing the various matters as to which		
proceedings in Admiralty can be taken, and the mode of commencing action, &c., by R. G. M. Browne, the Admiralty Marshal The Statute Law of Merchant Shipping, comprised in an alphabetical analysis, and a summary of the unrepealed Merchant Shipping Acts, from 1821 to 1888,	10	0
by R. G. M. Browne, the Admiralty Marshal	6	0
The Baron Bonnefoux's History of his previous life, also a Chart showing his Track from the Landfall to Cuba and an outline of his subsequent voyages, by Capt. A. B. Becher, R.N., F.R.A.S.	12	0
Navigation of the Indian Ocean, China and Australian Seas; with an account of the Winds, Weather, and Currents found therein throughout the year (with Charts), by A. B. Becher, Capt. R.N.	5	0
Navigation of the Atlantic Ocean; with an account of the Winds, Weather, and Currents found therein throughout the year (with Charts), by A. B. Becher,		
Capt. R.N. Winds and Currents of the Mediterranean, with remarks on its Navigation at different Seasons of the year, compiled from various authorities, chiefly		0
Spanish, by A. B. Becher, Capt. R.N. The Binnacle Compass Corrected by itself, or the Deviation found with one Compass by both methods, and the Corrections applied, by A. B. Becher,	3	0
Capt. R.N. Tables of Mast Head Angles, for five feet intervals from 30 to 280 feet and varying distances from a cable's length to four miles, with their application to	1	0
Nautical Surveying; also the determination of distance by sound, with an example, by A. B. Becher, Capt. R.N	2	0
explanation of the Hurricane Theory, illustrated with Diagrams and Accounts of Hurricanes, by A. B. Becher, Capt. R.N.	1	6
Description of an Artificial Horizon, invented by A. B. Becher, Capt. R.N., with examples of its application, afloat and ashore (1857)	1	0
	10	0
An Essay on Hydrographical Engineering, as applicable to Floating Sea Barriers, Harbours, Batteries, Coast Defences, and Naval Fortifications, by Cast. Adderley Sleigh, K.T.S., F.R.S.L. (with Illustrations), 1859	10	0
Concise Navigating Directions for the River Thames, including all the Pools, Reaches and Channels, from London Bridge to the South Foreland and Orfordness, and for the English Channel to Beachy Head, also for the Port		
of Dunkerque and the Approaches to the Scheldt, by Stephen Penney, Trinity Pilot, Gravesend (Illustrated by Twenty-four Charts)	7	6
Pilot's Handbook for the English Channel, by Capt. King, R.N. (with Twenty-one Charts)	7	6
<i>R. C. Carrington, F.R.G.S.</i>	7	6
and Longitude, with the corresponding number of Statute Miles in each Degree of Latitude; and the number of Minutes of Latitude or Nautic Miles con- tained in a Degree of Longitude, under each Parallel of Latitude, by R. C.		
Carrington, F.R.G.S	1	0
by Digby Murray	5	0
Summer lines, by R. E. Peake, A.M.I.C.E	5 1	0 6
Tide Charts of the English and Bristol Channels and Entrance of the Thames, compiled from the Admiralty Tide Tables, by Algernon Heber Percy, late		,
Lieut. Royal Navy 19 Charts of the Isle of Wight and Solent Tides, from Portland Bill to The Owers,	5 7	0
by T. B. C. West and F. Howard Collins	4	6. 6
Notes on the Reduction of Lunar Observations, Mathematical and Practical, by Rear-Admiral Charles Shadwell, C.B., F.R.S.	4	6
Formulæ of Navigation, Nautical Astronomy, &c., intended to serve as an "Aide- Mémoire" for the use of Naval Officers, and Students of Nautical Astronomy, by Rear-Admiral Charles Shadwell, C.B., F.R.S	2	6
Tables for Facilitating the Determination of the Latitude and Time at Sea by Observations of the Stars, by Rear-Admiral Shadwell, C.B., F.R.S.	2	6
Notes on Interpolation, Mathematical and Practical, do.	$\frac{2}{2}$	0

from historical publications, old records, Parliamentary returns, and other authorities, by *Frederick Perigal* (of the Admiralty), 1860

3 6

An Introduction to the Practice of Navigation and Nautical Astronomy, by R. E. Hooppell, M.A., F.R.A.S.	3	6
Time Altitudes for Expediting the Calculation of Apparent-Time, by A. C.	0	0
Johnson, R.N. Hour Angles of the Sun, Moon, and Stars, for Latitude and Declination 0°-80°, and Altitude 5°.64°, together with Short Methods of finding the Longitude by Chronometer; and the latitude and Longitude by Two "Chronometers,"	92	U
by A. C. Johnson, R.N	3	6
Short Tables and Rules for Finding Latitude and Longitude, by Single and Double Altitudes, Pole Star, Lunars, &c., by A. C. Johnson, R.N.	3	0
How to find the Time at Sea in less than a Minute, being a New and Accurate Method, with specially adapted Tables, by A. C. Johnson, R.N.	2	6
Combined Time and Altitude Azimuth Tables, for all Latitudes and Declinations, by A. C. Johnson, R.N.	2	6
Finding the Latitude and Longitude in Cloudy Weather, by A. C. Johnson, R.N. Practical Information on the Deviation of the Compass, for the use of Masters and	1	0
Mates of Iron Ships, by J. T. Towson, F.R.G.S	4	0
An Elementary Treatise on the Tides, based upon that of the late Sir J. W. Lubbock, Bart., F.R.S., to which is added a newly-devised method of compu-		
tation of the heights of high water at Liverpool, with factors for other ports, and Tables adopted by the Admiralty, by James Pearson, M.A., F.R.A.S.	3	6
The True Principle of the Law of Storms, practically arranged for both Hemi-	-	
spheres, by James Sedgwick A Chart of South Latitudes, beyond 20 degrees, to Facilitate the Practice of Great Circle Sailing; with an accompanying Diagram for the Determination of the	3	0
Courses and Distances, by Hugh Godfray, M.A	33	0
Captain Weir's Azimuth Diagram	1	6
distance of an object at sea by inspection (without the use of pencil or paper),		
at the same time giving the distance the ship will go wide of the object before getting to it, and the course to steer to obtain a required distance, by		
A. Hütteroth	2	6
Institution, 1872), by Staff Commander Thomas A. Hull, R.N Observations on the Rule of the Road at Sea, prepared for and dedicated to	2	0
Officers and Seamen of the Mercantile Marine, by Thomas Gray	2	0
Remarks on Rigging Ships with Flat Surface Sails, by Lieut. William Congalton, R.N.R.	2	0
On the Stability of Ships and Floating Bodies, by Alf. J. Cooper (Master Mariner) Seamanship and Navigation, Required for the Ordinary Examination, by Capt.	4	6
R. Maxwell 1s., and Cloth Seamanship and Navigation, Required for the Extra Master's Examination, by	1	6
Capt. R. Maxwell	1	6
a proposed Amendment (1857), by Capt. Kynaston, R.N., C.B., &c	1	6
Speed Tables, for finding the Distance run in a given time at a given speed, between the limits of 10 to 18 Knots, by J. D. Macpherson (Pacific Steam Navigation Co.)	1	0
Pole-Star Latitude : a Method of finding the Latitude from an Altitude of the Pole-Star, by Darnton Hutton (Master Mariner), B.A., M.Inst.C.E.	1	0
Practical Observations on Surveying (on Determining the Position of a Vessel	1	0
General Guide to Marine Insurance, by J. P. Godfrey	î	ŏ
Handbook on the Law and Practice relating to Apprentices to the Mercantile Marine Service, by F. W. Gardner (of the Middle Temple)	1	0
A Voice from the Quarter-Deck on the State of our Mercantile Marine, by Joseph Mayne (Master Mariner)	1	0
How Ships are Lost, and How to Save Life and Property at Sea (Illustrated), by	1	0
A Method for finding the Latitude by the Simultaneous Altitudes of Two Stars,	_	-
Ship's Cook and Steward's Guide, containing Hints for Management, and Two	1	0
Hundred and Fifty Recipes, by James B. Wilson	1	0
Lights in Lyrics, or a Glance at the Channel Lights as Piloting Marks, on a run	1	0
from Scilly to the Nore, accompanied by a parting precept on Compass Deviation, addressed to all younger Mariners. (With a View of the Caskets),		
Notes and Charts, (1859)	1	0
	1	0
	0	6

 Swinging Ship for Deviation (Board of Trade, 1859), compiled by <i>Rear-Admiral Fitzroy</i>, F.R.S. A Review of the Proceedings of the Arctic Scarching Expeditions, under the command of Captain H. T. Austin, C.B., and Capt. Wm. Penny (with a 	1	0
Chart), 1851	1	0
Ditto ditto Arctic Papers, No. 2 (1851)	0	Ĝ
Ditto ditto ditto No. 3 (1852)	0	6
The Arctic Dispatches, containing an Account of the Discovery of the North-West Passage by Capt. Robert Maclure (commanding H.M.S. "Investigator") with,		
a Map of the Discoveries in the Arctic Regions, (1852-3)	2	0
The True Direction and Velocity of Wind, observed from Ships while Sailing, by James N. Miller (Member of the Liverpool Polytechnic Society), with Table		
for Indicating the Truc Direction of the Winds at Sea, (1870)	0	6
An Address delivered to the Boys of The Training Ships "Chichester" and the		
"Arethusa," by G. M. Coxhead (1885)	0	4
Dock Pass Book	1	ō

ADMIRALTY INDEX CHARTS.

PRICE 6D. EACH.

The Admiralty Chart Index Sheets will be found very useful to Captains in their selection of Charts.

A—The World.
 B—England, Ireland, and Channel Islands.
 C—Scotland.
 D—North, Baltic, and White Seas.
 E—France, Spain, Portugal, and the Mediterranean Sea, F—Africa and adjacent Islands.
 G—Indian Ocean.
 H—Western Australia and Eastern Archipelago.
 I—East Australia and New Zealand.
 J—China Sea, Siam, and Philippine Islands to Japan.
 K—Japan Islands, Korea, and Manchuria.
 L—Islands in the Pacific Ocean.
 M—West Coast of North America.
 N—South America.
 O—West Indics and Central America.

171. Index Chart of Admiralty Sailing Directions, 1/-

Signs and Abbreviations adopted in the Admiralty Charts, 6d.

Official Catalogue of Charts, Plans, and Sailing Directions, 1/-

Prices for Mounting (on Linen) the Admiralty Charts :--

		•						8.	a
Small Sheet, 20×27 in.			 •••	••					
Large Sheet, 40×27 in.									
Large Sheet, 40×27 in. Larger Sheets than above	• •	• •	 • •	• •	• •	• •	2/- and	2	6 _

Leather Portfolios (size $27\frac{1}{2} \times 21\frac{1}{2} \times 4$ in.) with straps and buckles, for the Admiralty Charts (and Printed Sheet for Indexing Charts), 20/- each.

POTTER'S NAUTICAL ACADEMY, 11, KING STREET, TOWER HILL, LONDON. Conducted by CAPTAIN R. MAXWELL.

Captains and Officers of the Merchant Service prepared to pass the Local Marine Board Examinations, both in NAVIGATION and SEAMANSHIP.

Also a complete course of Navigation, Trigonometry, &c., taught on moderate terms.

CAPT. R. MAXWELL has passed his Examinations (Ordinary and Extra) at the LONDON LOCAL MARINE BOARD, and has conducted the above Academy since the year 1867.







Manufactured by GAYLORD BROS. Inc. Syracuse, N. Y. Stockton, Calif.

YD 15689

M315174

